





Product Service

# CERTIFICATE

No. Z2 066213 0114 Rev. 00

**Model(s):** LIU 0.55, LIU0.95, LIU1.2, LIU1.55, LIU2.15, LM004, LM007, LM008, LM011, LM011-1, LM011-2, LM011-3, LM012, LM013, LM014, LM014-1, LM020, LM020R, LM021, LM021-1, LM101, LM200, LM201, LM 202-2, LM207, LM207S, LM214, LM214-1, LM224, LM225-2, LM232

## Parameters:

Playground equipment as attachment, free standing or hillside slide  
 Posts 98x98: laminated wood, aluminium, galvanized steel.  
 Platforms: laminated wood, hotspray lamination.  
 Panels and walls: plywood/ PE plastic.  
 Pole anchor: galvanized steel

Model	length	width	height
LIU0.55	1,29m	0,98m	0,66m
LIU0.95	1,79m	0,50m	0,95m
LIU1.2	2,08m	0,50m	1,20m
LIU1.55	2,44m	0,50m	1,55m
LIU2.15	3,25m	0,50m	2,33m
LM004	1,83m	0,72m	2,92m
LM007	2,17m	0,72m	3,34m
LM008	2,51m	0,58m	4,14m
LM011	2,57m	0,95m	3,27m
LM011-1	3,17m	0,95m	4,06m
LM011-2	3,17m	1,34m	4,24m
LM011-3	1,95m	0,95m	2,60m
LM012	3,09m	0,73m	5,07m
LM013	2,77m	1,78m	3,33m
LM014	1,56m	1,51m	2,12m
LM014-1	1,46m	1,10m	2,78m
LM020	0,93m	0,54m	2,14m
LM020 R	0,95m	0,54m	2,18m
LM021	1,14m	0,54m	2,46m
LM021-1	1,14m	2,17m	2,46m
LM101	5,37m	7,35m	2,86m
LM200	2,41m	1,75m	3,74m
LM201	2,90m	1,78m	3,74m

TÜV SÜD  
 ZERTIFIKAT ◆ CERTIFICATE ◆ 認 證 證 書 ◆ CERTIFICADO ◆ CERTIFICAT



Product Service

# CERTIFICATE

No. Z2 066213 0114 Rev. 00

LM202-2	3,33m	4,60m	2,90m
LM207	2,85m	0,95m	4,51m
LM207S	2,85m	0,95m	4,70m
LM214	2,85m	2,49m	4,70m
LM214-1	2,85m	2,93m	3,26m
LM224	2,27m	2,95m	3,48m
LM225-2	4,38m	10,76m	3,44m
LM232	5,65m	9,44m	3,95m

**Tested according to:** EN 1176-1:2017  
EN 1176-2:2017  
EN 1176-3:2017

**Production Facility(ies):** 066213